

ECO-Line

- › Professional undercounter refrigerators
- › Available in anthracite or stainless steel finish with, glass or solid doors
- › Now also with versatile, robust drawers
- › Modern design to an affordable price
- › Glass doors with LED for fantastic product presentation
- › Digital thermostat with read out function
- › Fastest pull down in his field

› Gamko ECO-Line

bottle coolers



ECO-Line bottle cooler by Gamko

Gamko's ECO-Line is the standard for creating a fixed, sustainable and efficient bar layout. ECO-line bottle coolers are ideal for outstanding cooling and clearly presenting bottled drinks and is available in anthracite (coated steel panels) and stainless steel finish (stainless steel AISI 304). Gamko supplies ECO-Line coolers that are plug ready and for a split system (remote).

Both ranges are supplied with two, three or four door option, with solid or glass finish. In addition, you can also have solid doors replaced with robust drawers, which are available in a variety of sizes (see page 6).

www.gamko.com



ECO/22MU

Exterior made of anthracite coated steel panels and fitted with 2 solid doors



ECO/222MU

Exterior made of anthracite coated steel panels and fitted with 3 solid doors



ECO/2222MU

Exterior made of anthracite coated steel panels and fitted with 4 solid doors



ECO/2222MUCS

Exterior made of stainless steel and fitted with 4 solid doors



ECO/222MUCS

Exterior made of stainless steel and fitted with 3 solid doors



ECO/22MUCS

Exterior made of stainless steel and fitted with 2 solid doors

ECO/22GMU <

Exterior made of anthracite coated steel panels and fitted with 2 glass doors



ECO/222GMU <

Exterior made of anthracite coated steel panels and fitted with 3 glass doors



ECO/2222GMU <

Exterior made of anthracite coated steel panels and fitted with 4 glass doors



General characteristics

ECO-Line

(specific characteristics in the table on page 7)

- > Plug ready cooler (no separate condenser required)
- > Superb cooling performance
- > Larger capacity than ever
- > Faster pull down time
- > Increased display area with glass doors
- > Locks on glass doors
- > Efficient LED lighting with even light distribution in the case of glass doors
- > Height-adjustable legs
- > Easier to maintain (more service-friendly)
- > Exchangeable magnetic gaskets
- > Interior: silver-grey coated steel panels
- > Adjustable shelves
- > Option: solid drawers
- > Option: locks on solid doors/drawers
- > Each door section is fitted with 2 shelves as standard
- > Electronic thermostat with digital display
- > Automatic defrost
- > Temperature: +4° C / +8° C
- > Adjustable temperature range from +2° C to +18° C



ECO/2222GMUCS <

Exterior made of stainless steel and fitted with 4 glass doors



ECO/22GMUCS <

Exterior made of stainless steel and fitted with 2 glass doors



ECO/222GMUCS <

Exterior made of stainless steel and fitted with 3 glass doors



ECO-Line for remote refrigeration

Gamko also manufactures and supplies ECO-Line coolers for a split design (remote). In this case, the coolers are centrally controlled by a separate condensing unit that Gamko can also supply. The ECO-Line bottle coolers for a split design are supplied with two, three or four doors with either glass or a solid finish. In addition, you can also have solid doors replaced with robust drawers, available in a variety of sizes (see page 6).



ECO/22VS

Exterior made of anthracite coated steel panels and fitted with 2 solid doors



ECO/222VS

Exterior made of anthracite coated steel panels and fitted with 3 solid doors



ECO/2222VS

Exterior made of anthracite coated steel panels and fitted with 4 solid doors



ECO/22VSCS

Exterior made of stainless steel and fitted with 2 solid doors



ECO/222VSCS

Exterior made of stainless steel and fitted with 3 solid doors



ECO/2222VSCS

Exterior made of stainless steel and fitted with 4 solid doors



ECO/22GVCS <

Exterior made of anthracite coated steel panels and fitted with 2 glass doors



ECO/222GVCS <

Exterior made of anthracite coated steel panels and fitted with 3 glass doors



ECO/2222GVCS <

Exterior made of anthracite coated steel panels and fitted with 4 glass doors



General characteristics

ECO-Line for remote refrigeration

(Specific characteristics in the table on page 7)

- > Split design (separate condensing unit required)
- > Superb cooling performance
- > Locks on glass doors
- > LED lighting with glass doors
- > Height-adjustable legs
- > Push fit door seals
- > Interior: silver-grey coated steel panels
- > Adjustable shelves
- > Option: drawers
- > Option: locks on solid doors/drawers
- > Each door section is fitted with 2 shelves as standard
- > Electronic thermostat with digital display
- > Automatic defrost
- > Temperature: +4° C / +8° C
- > Adjustable temperature range from +2° C to +18° C



ECO/222GVSCS <

Exterior made of stainless steel and fitted with 3 glass doors



ECO/22GVCS <

Exterior made of stainless steel and fitted with 2 glass doors



ECO/2222GVSCS <

Exterior made of stainless steel and fitted with 4 glass doors



ECO-Line drawer cassettes

Why not add drawers to your ECO-Line bottle cooler and you will not only create a practical, but also a sleek and ergonomic bar layout. The ECO-Line drawers are mounted with telescopic rails and fit into any type of ECO-Line cooler. The drawers are fitted with the same broad and sturdy handles as on solid doors and have a lock feature (lock needs to be ordered separately). For each drawer you can fit a minimum of 42 x 33cl bottles. The drawers are also suitable for taller bottles.



Replace solid doors with a solid drawer unit consisting of 2 or 3 drawers of equal height or 2 unequal drawers.

Item No. for drawers	Colour	Description	Format
ECO/3DA	anthracite	1/2 drawer	2 drawers of equal height
ECO/5DA	anthracite	5/12 + 7/12 drawer	2 unequal drawers
ECO/6DA	anthracite	1/3 drawer	3 drawers of equal height
ECO/3DCS	stainless steel	1/2 drawer	2 drawers of equal height
ECO/5DCS	stainless steel	5/12 + 7/12 drawer	2 unequal drawers
ECO/6DCS	stainless steel	1/3 drawer	3 drawers of equal height

Accessories

Make your bottle coolers more complete with locks on solid doors and drawers, extra dividers and/or shelves.



Accessories for ECO-Line (plug ready)

Item Number

Lock for solid door and drawer	013050219
Shelf 458 x 365mm for ECO/222	231903A08
Shelf 510 x 365mm for ECO/22, ECO/222 and ECO/2222	231901A08
Wire mesh 466 x 366mm for ECO/222	004010414
Wire mesh 1038 x 366mm for ECO/22, ECO/222 and ECO/2222	004010412
Shelf brackets/mesh brackets (4 No. per shelf/wire mesh are needed)	013010001

Accessories for ECO-Line (evaporator unit)

Item Number

Lock for solid door and drawer	013050219
Shelf 460 x 348mm for ECO/22 and ECO/222	000050347
Shelf 499 x 348mm for ECO/222 and ECO/2222	231812A08
Wire mesh 462 x 357mm for ECO/22 and ECO/222	004010400
Wire mesh 1000 x 357mm for ECO/222 and ECO/2222	004010401
Shelf brackets/mesh brackets (4 No. per shelf/wire mesh are needed)	013010001



Specific features

ECO-Line

MODEL	# DOORS	FINISH	STORAGE CAPACITY	TEMPERATURE	COOLING CAPACITY	POWER CONSUMPTION	EXTERNAL DIMENSIONS W x D x H *
ECO/22MU	2x solid doors	anthracite	294 x 33cl (ø60mm)	+4° C / +8° C	541W	270W ^①	1462 x 520 x 860/880mm
ECO/22MUCS	2x solid doors	stainless steel	294 x 33cl (ø60mm)	+4° C / +8° C	541W	270W ^①	1462 x 520 x 860/880mm
ECO/222MU	3x solid doors	anthracite	489 x 33cl (ø60mm)	+4° C / +8° C	541W	300W ^①	2002 x 520 x 860/880mm
ECO/222MUCS	3x solid doors	stainless steel	489 x 33cl (ø60mm)	+4° C / +8° C	541W	300W ^①	2002 x 520 x 860/880mm
ECO/2222MU	4x solid doors	anthracite	684 x 33cl (ø60mm)	+4° C / +8° C	541W	288W ^①	2542 x 520 x 860/880mm
ECO/2222MUCS	4x solid doors	stainless steel	684 x 33cl (ø60mm)	+4° C / +8° C	541W	288W ^①	2542 x 520 x 860/880mm
ECO/22GMU	2x glass doors	anthracite	294 x 33cl (ø60mm)	+4° C / +8° C	541W	278W ^①	1462 x 520 x 860/880mm
ECO/22GMUCS	2x glass doors	stainless steel	294 x 33cl (ø60mm)	+4° C / +8° C	541W	278W ^①	1462 x 520 x 860/880mm
ECO/222GMU	3x glass doors	anthracite	489 x 33cl (ø60mm)	+4° C / +8° C	541W	312W ^①	2002 x 520 x 860/880mm
ECO/222GMUCS	3x glass doors	stainless steel	489 x 33cl (ø60mm)	+4° C / +8° C	541W	312W ^①	2002 x 520 x 860/880mm
ECO/2222GMU	4x glass doors	anthracite	684 x 33cl (ø60mm)	+4° C / +8° C	541W	304W ^①	2542 x 520 x 860/880mm
ECO/2222GMUCS	4x glass doors	stainless steel	684 x 33cl (ø60mm)	+4° C / +8° C	541W	304W ^①	2542 x 520 x 860/880mm
ECO/22VS	2x solid doors	anthracite	294 x 33cl (ø60mm)	+4° C / +8° C	-	60W ^②	1162 x 545 x 860/880mm
ECO/22VSCS	2x solid doors	stainless steel	294 x 33cl (ø60mm)	+4° C / +8° C	-	60W ^②	1162 x 545 x 860/880mm
ECO/222VS	3x solid doors	anthracite	489 x 33cl (ø60mm)	+4° C / +8° C	-	60W ^②	1702 x 545 x 860/880mm
ECO/222VSCS	3x solid doors	stainless steel	489 x 33cl (ø60mm)	+4° C / +8° C	-	60W ^②	1702 x 545 x 860/880mm
ECO/2222VS	4x solid doors	anthracite	684 x 33cl (ø60mm)	+4° C / +8° C	-	60W ^②	2242 x 545 x 860/880mm
ECO/2222VSCS	4x solid doors	stainless steel	684 x 33cl (ø60mm)	+4° C / +8° C	-	60W ^②	2242 x 545 x 860/880mm
ECO/22GVS	2x glass doors	anthracite	294 x 33cl (ø60mm)	+4° C / +8° C	-	112W ^②	1162 x 545 x 860/880mm
ECO/22GVSCS	2x glass doors	stainless steel	294 x 33cl (ø60mm)	+4° C / +8° C	-	112W ^②	1162 x 545 x 860/880mm
ECO/222GVS	3x glass doors	anthracite	489 x 33cl (ø60mm)	+4° C / +8° C	-	138W ^②	1702 x 545 x 860/880mm
ECO/222GVSCS	3x glass doors	stainless steel	489 x 33cl (ø60mm)	+4° C / +8° C	-	138W ^②	1702 x 545 x 860/880mm
ECO/2222GVS	4x glass doors	anthracite	684 x 33cl (ø60mm)	+4° C / +8° C	-	164W ^②	2242 x 545 x 860/880mm
ECO/2222GVSCS	4x glass doors	stainless steel	684 x 33cl (ø60mm)	+4° C / +8° C	-	164W ^②	2242 x 545 x 860/880mm

Solid & plug ready

Glass & plug ready

Solid & split

Glass & split

① Conditions: Te = -5° C | Tc = +45° C | ambient temperature = +25° C

② Power consumption of the cooler without the separately installed chiller unit.

* Depth of the cabinet is excluding handgrip, including power-supply-connection. During installation: add 40mm to the overall depth (in conjunction with the appliance's plug) and add 10 mm to the total width.



Gamko manufactures and supplies professional coolers for the bar and leisure industry

Gamko is a leading manufacturer and supplier of professional coolers for the bar and leisure industry. Since its establishment in 1958, Gamko has grown into an international company, which focuses mainly on manufacturing, selling and maintaining a complete range of professional drinks coolers.

Quality from Europe

With its own production and research department in Etten-Leur, The Netherlands, Gamko develops, manufactures and supplies products that are tailored to the needs and quality requirements of today's catering industry. Aspects such as design, functionality, customer satisfaction and the environment play a major role in this. Gamko is ISO9001- and ISO14001-certified, guaranteeing the quality of our products and processes and ensuring continuous improvement.

Modern production of equipment guarantees an excellent price-quality ratio and because production takes place in the Netherlands, Gamko also has highly flexible delivery times. If you choose Gamko, then you will be choosing quality, flexibility and sustainability.

Gamko: an international player with world-class products

Gamko has its own export department with a worldwide network of agents and its own sales organisations in Benelux, the United Kingdom and France. Our sales organisation delivers a complete range of cooling equipment, in particular for the bar and leisure industry right throughout the world. If after reading this brochure and/or documentation you would like more information about the products listed below, please feel free to contact Gamko.

Gamko manufactures and supplies (see also www.gamko.com)

- › FLEXBAR: modular (cocktail) bar system with unlimited options
- › ECO-Line: bottle coolers with glass doors, solid doors and drawers
- › Maxiglass: bottle coolers with glass and solid doors
- › Coolers for kegs and /or crates of bottles
- › Counter top coolers and freezers
- › Bottles and/or glass freezers
- › Stainless steel countertops
- › Remote condensing units
- › Refrigerated display cabinets
- › Waste disposal coolers
- › Slide top coolers

No rights can be derived from the information as shown in this brochure. Changes in content, technology and prices reserved. 01/2015



Gamko UK
 (a division of ITW Ltd)
 Oldmedow Road
 King's Lynn
 Norfolk
 PE30 4JU

P (+44) (0)843 216 4665
 F (+44) (0)843 216 4669
 E sales@gamko.co.uk

www.gamko.com

Gamko Export
 P.O. Box 274
 4870 AG Etten-Leur

 Mon Plaisir 75
 4879 AL Etten-Leur
 The Netherlands

T +31 (0)76 - 508 7500
 F +31 (0)76 - 508 7529
 E sales@gamko.nl

www.gamko.com