

Innovative solutions, inspired by ice

Follett Ice Storage & Transport Systems



The simple way to deliver ice!

Labor-saving gravity loading!

- Safer, easier, faster ice removal.
- Ice drops into carts when shutter in elevated bin is opened.
- Eliminates time-consuming, difficult shoveling and scooping.
- Six models store 336 to 1801kg/740 to 3970 lbs of ice.



Easy, sanitary ice transport!

- Carts move 109kg/240 lbs of ice quickly and easily to usage area; 68kg/1500 lbs when Totes accessory used.
- Extra wide, shallow cart for easy ice removal.
- One-piece polyethylene for durability, easy cleaning.
- Polyethylene lid protects ice during transport.
- Carts drain conveniently to bin drain when parked in bay.

Totes distribute ice without shoveling or scooping!


- Unique Totes accessory allows easy ice removal from cart and quick filling of displays.
- Eliminates difficult and messy shoveling or scooping of ice from cart.
- Slim Totes design allows efficient ice distribution, even in confined area below breath protectors.





Quality construction and user-friendly features!


High quality construction and superior design mean long equipment life and exceptional customer satisfaction.



Full length drain trough with single connection reverses for best access to floor drains


One, two, or three cart systems with storage capacities to meet virtually every ice storage and transport need





Two Carts

Three Carts



Model	Bin	Bin	Depth	Height	No. of	Maximum	Max. Cap.
Number	Width	Depth	with Door	w/ Legs	Carts	Bin Cap	w/ Carts
ITS500NS-31	788 mm	1016 mm	1016 mm	1524 mm	1	227 kg	336 kg
	31"	40"	40"	60"	1	500 lbs	740 lbs
ITS700SG-31	788 mm"	1016 mm	1220 mm	1905 mm	1	318 kg	426 kg
	31"	40"	48"	75"	1	700 lbs	940 lbs
ITS1350SG-60	1524 mm	1016 mm	1220 mm	1905 mm	2	612 kg	830 kg
	60"	40"	48"	75"	2	1350 lbs	1830 lbs
ITS2250SG-60	1524 mm	1016 mm	1220 mm	2464 mm	2	955 kg	1173 kg
	60"	40"	48"	97"	2	2105 lbs	2585 lbs
ITS1700SG-90	2286 mm	1016 mm	1220 mm"	1778 mm	3	771 kg	1098 kg
	90"	40"	48"	70"	3	1700 lbs	2420 lbs
ITS3250SG-90	2286 mm	1016 mm	1220 mm	2464 mm	3	1474 kg	1801 kg
	90"	40"	48"	97"	3	3250 lbs	3970 lbs

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.



801 Church Lane • Easton, PA 18040, USA Toll free 800-523-9361 • 610-252-7301 Fax 610-250-0696 • www.follettice.com

© 2002 Follett Corporation Form 2000 03/07

(NSE)